

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16220	(frequent frequenc\$3) with (search\$3 quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:39
L2	1738	L1 same occur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:39
L3	94	"707"/\$.ccls. and (L2 same time\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:40
L4	246	"707"/\$.ccls. and I2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:40
L5	17	"705"/\$.ccls. and I2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:40
L6	22	"709"/\$.ccls. and I2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:40
L7	50	"715"/\$.ccls. and I2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:40
S1	21	(@ad < "20001711" @rlad < "20001711") AND ((web NEAR2 service) WITH (database data-base (data ADJ base) storage)) AND ((search quer\$4) WITH (term word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 21:26

S2	21	(@ad < "20001711" @rlad < "20001711") AND ((web NEAR2 service) WITH (database data-base (data ADJ base) storage)) AND ((search quer\$4) WITH (term word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 22:21
S3	1	("6814298").PN.	USPAT	OR	OFF	2005/02/05 22:01
S4	55	(@ad < "20001711" @rlad < "20001711") AND ((web NEAR2 service) SAME (database data-base (data ADJ base) storage)) AND ((search quer\$4) WITH (term word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 22:36
S5	111	(@ad < "20001711" @rlad < "20001711") AND ((web NEAR2 service) SAME (database data-base (data ADJ base) storage)) AND ((search quer\$4) WITH (match\$4))	USPAT	OR	ON	2005/02/05 22:56
S6	11215	(@ad < "20001711" @rlad < "20001711") AND ((database data-base (data ADJ base) storage)) AND ((search quer\$4) WITH (match\$4))	USPAT	OR	ON	2005/02/05 22:58
S7	1668	(@ad < "20001711" @rlad < "20001711") AND ((database data-base (data ADJ base) storage)) AND ((search quer\$4) WITH (match\$4) WITH (best most highest rank weight))	USPAT	OR	ON	2005/02/05 23:00
S8	78	(@ad < "20001711" @rlad < "20001711") AND ((database data-base (data ADJ base) storage)) AND ((search quer\$4) WITH (match\$4) WITH (best most highest rank weight)) AND (web NEAR3 (service))	USPAT	OR	ON	2005/02/05 23:06
S9	31	(@ad < "20001711" @rlad < "20001711") AND ((database data-base (data ADJ base) storage) SAME (frequenc\$4 weigh score)) AND ((search quer\$4) WITH (match\$4) WITH (best most highest rank weight)) AND (web NEAR3 (service))	USPAT	OR	ON	2005/02/05 23:12
S10	308	(@ad < "20001711" @rlad < "20001711") AND ((database data-base (data ADJ base) storage) SAME (frequenc\$4 weigh score)) AND ((search quer\$4) WITH (match\$4) WITH (best most highest rank weight))	USPAT	OR	ON	2005/02/05 23:31
S11	1	("6785671").PN.	USPAT	OR	OFF	2005/02/05 23:21
S17	1	S11 AND service	USPAT	OR	ON	2005/03/07 01:35

S18	1	S11 AND service AND match\$4	USPAT	OR	ON	2005/02/05 23:24
S19	16229	(frequent frequenc\$3) with (search\$3 quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 01:36
S20	1738	S19 same occur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 01:36
S21	876	S20 same time\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:39